

KV08-1

Kabelverlängerung

DEUTSCH

1. Gewährleistungshinweise

- Ihr Produkt hat unser Werk in geprüftem und betriebsbereitem Zustand verlassen.
- Garantieansprüche gelten nur für Produkte der Firma SIKO GmbH. Reparaturen dürfen nur im Werk vorgenommen werden.


2. Elektrischer Anschluss

- Anschlussverbindungen dürfen nicht unter Spannung geschlossen oder gelöst werden!!
- Verdrahtungsarbeiten dürfen nur spannungslos erfolgen.
- Litzen sind mit Aderendhülsen zu versehen.
- Vor dem Einschalten sind alle Leitungsanschlüsse und Steckverbindungen zu überprüfen.
- Nichtbenötigte Litzen müssen bis Kabelmantel gekürzt oder isoliert werden.

Anschlussbelegung

Pin	Kabelfarbe	
Α	blau	
В	N.C.	
С	grün	
D	rot	
E	gelb	
F	rosa	
G	N.C.	
Н	weiß	
J	N.C.	
K	grau	
L	N.C.	
M	braun	

Steckverbinder GE



Ansichtseite = Steckseite



KV08-1 Datum 13.02.2004 Art.Nr. 82507 Änd.Stand 40/04



KV08-1

Cable extension

ENGLISH

1. Warranty information

- Your device has been quality controlled, tested and is ready for use.
- Warranty can only be claimed for components supplied by SIKO GmbH. Repairs should be carried out only at our works.


2. Electrical connection

- Switch power off before any plug is inserted or removed!!
- Wiring must only be carried out with power off.
- Provide standed wires with ferrules.
- Check all lines and connections before switching on the equipment.
- Unconnected strandsshould be either cut up to the cable coating or insulated.

Pin outs

Pin	Wire colour	
Α	blue	
В	N.C.	
C	green	
D	red	
E	yellow	
F	pink	
G	N.C.	
Н	white	
J	N.C.	
K	grey	
L	N.C.	
М	brown	

Connector type GE



viewing side = pluq-in side

SIKO GmbH

Dr.-Ing. G. Wandres

Werk / Factory:

Weihermattenweg 2 79256 Buchenbach-Unteribental

Postanschrift / Postal address:

Postfach 1106 79195 Kirchzarten

Telefon/Phone Telefax/Fax E-Mail Internet

+49 7661 394-0 +49 7661 394-388 info@siko.de www.siko.de

